

Images Video News Maps

task switching <near> different protect domain

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 76,000 for task switching < near> different protect domain. (0.24 seconds)

Integrating segmentation and paging protection for safe, efficient and transparent software ... - **tipm.edu.sa :====

T Chiueh, G Venkijachalam, P Pradhan - Proceedings of the seventeenth ACM symposium on Operating ..., 1999 - portal acm.org ... sets of protection identifiers with different code modules ... TLB), which is automatically

flushed on task switch. ... can form an independent protection domain if seg ...

Cited by 74 - Related articles - Web Search - Bt. Direct - All 17 versions

G Bryce, G Muller, R IRISA - Seventh IEEE Symposium on Parallel and Distributed ..., 1995 - leeexplore, leee.org

... to place mistrusting application components in different tasks. ... switching threads

and then switching address and ... domain communication and avoid task switch- ing ... Cited by 21 - Related articles - Web Search - BL Direct - All 33 versions

Luna: a flexible Java protection system- *sasscertification.org [ps]

C Hawbiltzel, T von Eicken, I Expertcity - usenix.org

... section strive to draw clear boundaries between different domains ... on local objects

(needing no thread switch) and which are cross-task method invocations ...

Cited by 24 - Related articles - Web Search - Bt. Direct - All 13 versions

IPDFI *Protected Shared Libraries

A Banerji, DL Cohn - Tech Rpt 94 - dspace.library.nd.edu

... If a given task has one thread is ... However, switch- ing between threads that are both

in ... course, switches between threads in different protection domains will ...

Cited by 9 - Related articles - View as HTML - Web Search - All 11 versions

QoS online routing and MPLS multilevel protection: a survey

JL Marzo, E Catle, C Scoolio, T Aniah - IEEE Communications Magazine, 2003 - jeeexplore.jeee.org

... LSP back to the source switch of the ... draft from the Internet Engineering Task Force

(IETF ... According to the QoS requirements, different protection strategies are ...

Cited by 52 - Related articles - Web Search - Bit Direct - All 2 versions

A framework for service-guaranteed shared protection in WDM meshnetworks- *** wester so the service of the serv

PH Ho, HT Mouffah - IEEE Communications Magazine, 2002 - ieeexplore.ieee.org

... With this, the task of end-to-end diverse routing is ... segment of its P domain, and

then switch- es the ... in the four networks with SLSP of different diameters, as ... Cited by 106 - Related articles - Web Search - Bt. Direct - All 4 versions

Fours: A high-bandwidth cross-domain transfer facility- storonto-edu (POF)

P Druschel, LL Peterson - ACM SIGOPS Operating Systems Review, 1993 - portal acm.org

... This task is made difficult by the limitations of ... can be expected on the same path

in the **near** future. ... The time it takes to **switch** to supervisor mode, acquire ...

Cited by 386 - Related articles - Web Search - Bl. Direct - All 10 versions

Multi-domain mesh optical network protection using Hamiltonian cycles

H Huang, JA Copeland - High Performance Switching and Routing, 2002, Merging ..., 2002 - leeexplore.leee.org

... protection scheme is a challenging task. ... usually involves complicated protection

switching configuration, the ... occur simultaneously in different regions of the ...

Clied by 6 - Related articles - Web Search - All 5 versions

The Mungi single-address-space operating system- *psu.edu [PDF]

G Heiser, K Elphinstone, J Vochteloo, S Russell, J ... - Software: Practice and Experience, 1998 - interscience wiley.com

... a significant role in keeping context switching costs low. ... For example, the server

task needs to be ... thread executes in a protection domain different from other ...

Cited by 154 - Belated acticles - Web Search - Library Search - Et. Direct - All 20 yearging

Constructing secure operating environments by co-locating multiple embedded operating systems

S Olkawa, H Ishikawa, M Iwasaki, T Nakajima - Consumer Communications and Networking Conference, 2005..., 2005 - ieeexplore.ieee.org ... Threads are used in two different ways. ... is a simple yet efficient way to protect

critical sections ... when an interrupt occurs and a higher priority task wakes up ...

Cited by 4 - Related articles - Web Search

Key authors: P Druschel - G Heiser - P Ho - J Vochteloo - G Alverson

G00000000008 C > 1 2 3 4 5 6 7 8 9 10 Next

Result Page:

task switching <near> different prote

Search

Google Home - About Google - About Google Scholar

©2009 Google



Web Images Video News Maps more »

task switching <near> protection domain selecti

Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 35,200 for task switching < near> protection domain selection. (0.20 seconds)

A framework for service-quaranteed shared protection in WDM meshnetworks-**wwaterioo.ca PDF

PH Ho, HT Mouftah - IEEE Communications Magazine, 2002 - leeexplore.ieee.org

... With this, the **task** of end-to-end diverse routing ... of each node along the corresponding **protection** path segment of its P **domain**, and then **switch**- es the ...

Cited by 106 - Related articles - Web Search - Bl. Direct - All 4 versions

CommonKADS Methodology for Developing Power Grid Switching Orders Systems

M Zhou, J Ren, J Qi, D Niu, G Li - Lecture Notes in Computer Science, 2007 - Springer

... The **switching** objects include lines, buses, transformers, breakers, **protection** relay and their combination. ... Fig. 8. **Task** configuration template ...

Related articles - Web Search - 8L Direct

Multiprotocol lambda switching: combining MPLS traffic engineeringcontrol with optical crossconnects

D Awduche, Y Rekhter - IEEE Communications Magazine, 2001 - ieeexplore.ieee.org

 \dots to actuate a rearrangement of the crossconnect \boldsymbol{switch} fabric such \dots It complicates

the task of internetwork ... domain, and enable a variety of protection and restora ...

Cited by 391 - Related articles - Web Search - BL Direct - All 3 versions

An Efficient Restoration Scheme Using Protection Domain for Dynamic Traffic Demands in WDM Networks

CS Ho, IY Chen, SY Kuo - Lecture notes in computer science, 2003 - Springer

... that is responsible to perform the **task** of collecting ... end node notification time, path **switching** time and ... to the **selection** strategy of the **protection domain**

Related articles - Web Search - 8L Direct - All 2 versions

Allocation of protection domains in dynamic WDM mesh networks

PH Ho, HT Mouftah - 10th IEEE International Conference on Network Protocols, ..., 2002 - ieeexplore.ieee.org

... Each P domain has a PSL (Path Switch LSR (Label ... Compared with the path-based protection,

the segmentation of working \ldots With this, the task of end-to-end diverse \ldots

Cited by 20 - Related articles - Web Search - All 6 versions

[PDF] A fast and scalable inter-domain MPLS protection mechanism

C Huang, D Messier - Journal of Communications and Networks, 2004 - sce.carleton.ca

... designed specifically for this task is described ... to support inter-domain protection

and restora ... Callon, "Multiprotocol label switching architecture," IETF ... Cited by 9 - Related articles - View as HTML - Web Search - BL Direct - All 4 versions

Sourcebook of ATM and IP Internetworking, By Khalid Ahmad Copyright© 2002 by the Institute of ...

..., ATMIN Interface, ATMLLLB OAM, ATMLP Switching - Cell - doi.wiley.com

... ICMP), 328, 349 Internet Engineering Task Force (IETF ... SN), 79, 272,279,289 Sequence

Number Protection (SNP), 272 ... Language (SDL), 64 Tag Switching, 423 Tags in ...

Web Search

Pipesfs: fast linux i/o in the unix tradition- micta.com.au (PDF)

W de Bruijn, H Bos - 2008 - portal.acm.org

... copying, context switching (both task- switching and mode ... hardware isolation to minimize mode switching over- head ... feature to avoid copying near-identical data ...

Related articles - Web Search - All 7 versions

A hierarchical biased-competition model of **domain**-dependent working memory maintenance and executive ...

SM Courtney, JK Roth, JB Sala - The Cognitive Neuroscience of Working Memory - books.google.com

... demonstrate that a region near the posterior ... in WM maintenance emphasize the protection from interference ... b) Common activation for task-switching, Stroop task ...

Cited by 4 - Web Search

QoS online routing and MPLS multilevel protection: a survey

JL Marzo, E Calle, C Scoglio, T Anjah - IEEE Communications Magazine, 2003 - ieeexplore.ieee.org

... protected LSP back to the source switch of the ... DiffServ draft from the Internet

Engineering Task Force (IETF ... The protection domain for AF2 and BE can be global ...

Cited by 52 - Related articles - Web Search - BL Direct - All 2 versions

Key authors: D Awduche - Y Rekhter - M Seltzer - P Ho - C Small

Gooooooogle >

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

task switching <near> protection do

Search

Google Home - About Google - About Google Scholar

©2009 Google



Web Images Video News Maps more »

thread switching <near> protection domain sele

e Search

Advanced Scholar Search
Scholar Preferences
Scholar Help

Scholar All articles - Recent articles Results 1 - 10 of about 8,540 for thread switching < near > protection domain selection. (0.15 seconds)

In-kernel servers on Mach 3.0: Implementation and performance- **Mupm.edu.sa [PDF]

J Lepreau, M Hibler, B Ford, J Law - usenix.org

 \dots making calls to other servers in the same **domain**. \dots system call path, even though no **protection** boundary is \dots A **thread switching** model would have resulted in a \dots

Cited by 44 - Related articles - Web Search - All 21 versions

Mobile objects and agents (MOA)- *psu.edu (PDF)

DS Milojicicc, W LaForge, D Chauhan - usenix.org

 \dots when there is a different protection domain; it also \dots to prevent us from switching

to different ... functionality, such as maintaining thread execution context and ...

Cited by 102 - Related articles - Web Search - BL Direct - All 21 versions

Dealing with disaster: Surviving misbehaved kernel extensions- *nus.edu.sg [PDF]

MI Seltzer, Y Endo, C Small, KA Smith - usenix.org

... run next, switching kernel threads, and switching VM contexts ... a hash table containing

the valid thread IDs ... graft described above without SFI protection, and the ...

Cited by 317 - Related articles - Web Search - BL Direct - All 36 versions

Lightweight thread tunnelling in network applications-

A Donnelly - Lecture Notes in Computer Science, 2002 - Springer

... module's entry point – state **switching** and other ... We now describe Expert's thread

tunnelling architecture in ... within the pod run in this protection domain. ...

Cited by 1 - Related articles - Web Search - BL Direct - All 17 versions

Lower Level Architecture of the Sombrero Single Address Space Distributed Operating System

DS Milier, DB White, AC Skousen, R Tcherepov - Proceedings of the 18 th IASTED International Conference on ..., 2006 - actapress.com

... priority level and general protection domain, Sombrero creates ... The selection of the appropriate model depends ... This leads to increased thread switching and data ...

Related articles - Web Search - All 6 versions

Singularity: rethinking the software stack- microsoft.com (POF)

GC Hunt, JR Larus - 2007 - portal.acm.org

... into multiple address spaces at both user and kernel protection levels. ... written in

C or C++, for example, the thread context switch, interrupt vectors ...

Cited by 30 - Related articles - Web Search - BL Direct - All 9 versions

[PDF] *Experience Developing an Object-Oriented Parallel Operating System

W Schroder-Preikschat - IBM symposium on object-oriented operating systems, 1995 - citeseerx.ist.psu.edu

... in the single- tasking conguration causes no context switch. ... clerk is an active object

(ie, a thread). ... functions networkwide (ie, crossing protection boundaries ...

Cited by 1 - Related articles - View as HTML - Web Search - All 6 versions

rpoci Towards A Flexible Java Security Architecture

Y Zhang - cs.comell.edu

... with this "virtual" thread switching is that it ... domain termination, thread protection,

accountability, the ... Explicit protection domain creation facilitates the ...

Related articles - View as HTML - Web Search

[PDF] • The structure of a multi-service operating system

T Roscoe, University of Cambridge, Computer ... - 1995 - people inf. ethz.ch

... pervasive interfaces A set of useful interfaces, references to which are considered part of the execution context of a thread. protection domain A function ...

Oited by 93 - Related articles - View as HTML - Web Search - Library Search - All 13 versions

On micro-kernel construction - \kfupm.edu.sa (PDF)

J Liedtke - ACM SIGOPS Operating Systems Review, 1995 - portal.acm.org

... arbitrary protection (and non-protection) schemes on top of the ... from the stack

and/or switching back to ... something, either for threads or tasks or communication ... Cited by 235 - Related articles - Web Search - BL Direct - All 10 versions

Key authors: M Seltzer - J Liedtke - C Small - Y Endo - K Smith

Gooddooddoogle >

Result Page: 1 2 3 4 5 6 7 8 9 10 Next

thread switching <near> protection d

Search

Google Home - About Google - About Google Scholar

©2009 Google